Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	11	((RICHARD) near2 (CORBETT)).INV.	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/04/27 10:39
S4	2	((ETTORE) near2 (BERUTTI)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 10:39
S5	115	"188/71.2".CCLS.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 10:40
S6	1	"10539189".rlan. or ("10".src. and "539189".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	ADJ	ON	2009/04/27 10:40
S7	2	("20040036370" "6315092").PN.	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/04/27 11:05
S18	0	("0170552").PN.	EPO; DERWENT	OR	OFF	2009/04/27 11:43
S19	0	("0173312").PN.	EPO; DERWENT	OR	OFF	2009/04/27 11:44
S2 0	1	actuating unit with a threaded pinion	EPO; DERWENT	ADJ	ON	2009/04/27 11:49
S21	11	electromechanical wheel brake device	EPO; DERWENT	ADJ	ON	2009/04/27 11:50
S22	14	"6315092"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 12:04
S23	5630	aktiebolaget	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 12:26
S 24	48	aktiebolaget	EPO; DERWENT	ADJ	ON	2009/04/27 12:26
S25	3553	(188/72.1,72.7,72.7,71.7,71.8,71.9,265, 162).CCLS.	US-PGPUB; USPAT; USOOR	OR	OFF	2009/04/27 16:05
S26	51	\$25 and housing near6 (integral or fixed or coupled or attached) near6 (rotor or nut)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/27 16:52
S27	682	(188/72.9).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/27 16:52
S28	288	(310/92).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/28 11:25

		EACT OCUTOR I				
S29	0	(310/92andgearandpistonandscrew).CCLS.	US-PGPUB; USPAT; USOOR	OR	OFF	2009/04/28 11:27
S30	9	310/92 and gear and piston and screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 11:27
\$31	2802	(310/80,156.08,83,92).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/28 11:35
S32	2952	(188/265,161,162,106A,156,157).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/28 13:09
\$34	3556	(188/72.1,72.7,72.7,71.7,71.8,71.9,265, 162).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/28 13:34
\$35	15	S34 and (ball near1 bearing with ((integral or fixed or coupled or attached or connected or fast) with (housing or hub)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 13:51
S36	40	(S31 or S32) and (ball near1 bearing with ((integral or fixed or coupled or attached or connected or fast) with (housing or hub)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 14:18
\$37	72	S34 and (housing or hub) near6 (integral or fixed or coupled or attached) near6 (rotor or nut)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 14:26
\$38	127	\$34 and (planetary near4 gear)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 14:33
S3 9	30	S34 and ((planetary near4 gear) with (rotor or flange))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 14:34
S40	9	("4852699" "6000507" "6230854" "6279690" "6598714" "6607059" "6666308" "6767305" "6810316").PN. OR ("7007775").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 16:02
S41	12	("4560894" "5107967" "5348123" "5391953" "5769189" "5971110" "6158558" "6257377" "6305508" "6325180" "6367592" "6367597").PN. OR ("6554109").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/28 16:19
\$42	1	("20040036370").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/04 11:34
S43	52	jungbecker	US-PGPUB; USPAT; USOOR	A DJ	ON	2009/05/04 12:28
S44	115	(188/71.2).COLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/04 14:26

		LAST Search	notor y			
S45	501	(188/71.9).OOLS.	US-PGPUB; USPAT; USOOR	OR	OFF	2009/05/04 14:41
S46	549	188/72.8	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 14:57
S47	3557	(188/72.1,72.7,72.7,71.7,71.8,71.9,265, 162).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/04 15:13
S48	3875	S47 or S44 or S46	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:13
S49	0	S48 and cold formed	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:13
S50	0	S48 and cold adj formed	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:14
S51	0	S48 and (cold adj forming)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:17
S52	21	S48 and ((ring or member) with nut) and bearin	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:19
S53	11	S48 and (nut with raceway) and bearing	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:25
S54	150	S48 and gearing	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:28
S55	308	(74/424.71,424.81).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/04 15:31
S56	17	S55 and screw and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 15:56
S57	13	corbett near richard	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 16:38
S58	172	S48 and (coupl\$5 near6 piston)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 20:05
S59	18	\$48 and (coupl\$5 near6 piston) and splined	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/04 20:05
S60	2213	(three adj point) and (ball adj bearing)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 12:18

			•			
S61	115	(188/71.2).COLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 12:18
S62	551	188/72.8	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 12:18
S63	3558	(188/72.1,72.7,72.7,71.7,71.8,71.9,265, 162).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 12:18
S64	3877	S63 or S61 or S62	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 12:18
S65	1	S60 and S64	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/05/05 12:18
S66	268	S64 and (ball adj bearing)	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/05/05 12:19
S67	6	"4215907"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 12:21
S68	4	"5207515"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 12:25
S69	192	S64 and nut near5 bearing	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 12:39
S70	46	S64 and ((partial or portion) with race)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/05 13:36
S71	22	\$64 and ((partial or portion or separate or divided) near5 race)	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/05/05 13:38